

## SOFIX acoustic module

### Section 1. Identification

**Common name:** SOFIX acoustic module

**Product Code:** 89800

**Synonym:** None

**Material uses:** Soundproofing for use in technical applications, industrial applications and in building construction.

**Supplier / Manufacturer:**

**AcoustiTech**

150, rue Léon-Vachon  
St-Lambert-de-Lauzon Québec,  
Canada, G0S 2W0 Phone:  
(418) 889-9910  
Fax: (418) 889-9915  
service@acousti-tech.com  
www.acousti-tech.com

**In case of emergency:**

**Chemtrec: (800) 424-9300**

**Or call your local Emergency Health Services Center.**

### Section 2. Hazards identifications

**Classification:**



None

**Signal word:** None

**Hazard statements:**

None

**Precautionary statements:**

None

### **Section 3. Composition and information on ingredients**

<b><u>Name</u></b>	<b><u>CAS</u></b>	<b><u>Concentration %</u></b>
Biosoluble glass mineral wool	N/A	80 – 90
Thermo set, inert polymer bonding agent derived from plant starches	N/A	5 – 15
1-Octene ethylene copolymer	26221-73-8	1 - 5

### **Section 4. First aid measures**

#### **Description of first aid if required:**

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

**Eye contact:** Rinse eyes thoroughly with water for at least 15 minutes.

**Skin contact:** If mechanical irritation occurs, remove contaminated clothing and wash skin gently with cold water and soap.

**Inhalation:** Remove from exposure. Rinse the throat and clear dust from airways.

**Ingestion:** Drink plenty of water if accidentally ingested.

#### **Indication of immediate medical attention and special treatment needed, if necessary:**

None specific

### **Section 5. Fire fighting measures**

#### **Flammability of the product:**

Non-flammable

#### **Flash point:**

N/A

#### **Auto-ignition temperature:**

N/A

#### **Products of combustion:**

Carbon oxides, trace gases (ammonia, nitrogen oxides and volatile organic substances)

#### **Special protective actions for fire-fighters:**

In large fires in poorly ventilated areas involving packaging materials respiratory protection / breathing apparatus may be required.

#### **Suitable extinguishing media:**

Water spray, Carbon dioxide, Foam, Dry Chemical.

### **Section 6. Accidental release measures**

#### **Personal precautions, protective equipment and emergency procedures: For**

**non emergency personnel:** Not applicable

**For emergency personnel:** Not applicable

#### **Environmental precautions:**

Not relevant

#### **Methods and material for containment and cleaning up:**

Not relevant

## **Section 7. Handling and storage**

### **Precautions in Handling:**

Avoid unnecessary handling of the bulk product. No special measures. Cut with a knife, do not use a saw or power tools. Provide effective ventilation. Assure proper respiratory protection if potential dust exposure exceeds occupational exposure limits.

### **Precautions in Storage:**

To ensure optimum product performance; when packaging is removed or opened; products should be stored inside or covered to protect them from ingress of rain water or snow. Storage arrangements should ensure stability of stacked products and use on a first in first out basis (FIFO) is recommended.

## **Section 8. Exposure Controls, Personal Protections**

### **Control parameters:**

<b>Component</b>	<b>CAS</b>	<b>Value</b>	<b>Control parameters</b>	<b>Basis</b>
Biosoluble glass mineral wool	N/A	TWA	10 mg/m <sup>3</sup>	Québec

### **Engineering controls:**

Maintain sufficient mechanical or natural ventilation to assure fiber concentrations remain below occupational exposure limits. Use local exhaust if necessary. Power equipment should be equipped with properly designed dust collection devices.

### **Personal protective equipment:**

**Eyes:** Use glasses or goggles when working with mineral wool insulation above shoulder height or in dusty environments.

**Skin/body:** Minimize direct contact with skin in order to prevent mechanical itching.

**Respiratory:** In dusty environments, use suitable respiratory protection.

**Hands:** Wear chemical resistant protective gloves.

**Other:** When heated to temperatures above 400°F for the first time, release of binder components and binder decomposition products can occur which, in high concentrations, may irritate eyes and the respiratory system. The duration of release is dependant upon the thickness of the insulation, binder content and the temperature applied. Adequate ventilation should be provided. In confined spaces or where ventilation is not possible, occupants should wear appropriate self-contained breathing apparatus.

## **Section 9. Physical and chemical properties**

**Physical state:** Solid

**Color:** Brown

**Odour:** Data not available

**Melting point/Freezing point:** Data not available

**Boiling point:** Data not available

**Appearance:** Rolls, loose fiber, panel

**Flash point:** Data not available

**Auto-ignition temperature:** Data not available

**pH:** Data not available

**Solubility:** Generally chemically inert and insoluble in water.

**Density:** 7 - 250 kg/m

## **Section 10. Stability and reactivity**

**Chemical reactivity:** Stable under recommended storage conditions.

**Chemical stability:** Binder will decompose above 400 °F

**Possibility of hazardous reactions:** None expected

**Conditions to avoid:** Heating above 400°F

**Incompatible materials:** Hydrofluoric acid will react with and dissolve glass.

**Hazardous decomposition products:** None in normal conditions of use. When heated to temperatures above 400°F for the first time, release of binder components and binder decomposition products can occur which, in high concentrations, may irritate eyes and the respiratory system. The duration of release depends upon the thickness of the insulation, binder content and the temperature applied Adequate ventilation should be provided. In confined spaces or where ventilation is not possible, occupants should wear appropriate self-contained breathing apparatus.

## **Section 11. Toxicological information**

### **Acute toxicity:**

1-Octene ethylene copolymer

26221-73-8

DL<sub>50</sub> Oral: Rat > 5000 mg/Kg

DL<sub>50</sub> Cutaneous: Rabbit > 2000 mg/Kg

### **Skin corrosion/irritation:**

Not applicable

### **Serious eye damage/irritation:**

Not applicable

### **Respiratory or skin sensitisation:**

Not applicable

### **Gem cell mutagenicity:**

Not applicable

### **Carcinogenicity:**

Not applicable

### **Reproductive toxicity:**

Not applicable

### **STOT- Single exposure:**

Not applicable

### **STOT- repeated exposure:**

Not applicable

### **Aspiration hazard:**

Not applicable

### **Information on likely route of exposure:**

Not applicable

## **Section 12. Ecological information**

### **Ecological data for aquatic environments:**

None

### **Persistence and degradability:**

Data not available

### **Bioaccumulative potential:**

Data not available

**Mobility in soil:**

Data not available

**Other adverse effects:**

Data not available

**Section 13. Disposal considerations****Waste disposal:**

Dispose of the chemical waste is in conformity with the federal, provincial and local laws. Store the residues of the product in safe containers.

**Section 14. Transportation information**

No TDG/DOT/IMDG/IATA Classification

**Section 15. Regulatory information****General product information:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

**Section 16. Additional information****Date of issue:**

2018-02-14

**Version:**

1.00

**Elaborated by:**

Toxyscan inc.

**Notice to reader:**

To the best of our knowledge, the information contained herein is accurate. However, neither Toxyscan inc., nor AcoustiTech, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Références:**

- *Répertoire toxicologique of la Commission des normes, de l'équité, de la santé et de la sécurité du travail.*
- *Registry of Toxic effects of Chemical Substances of the Canadian Centre for Occupational Health and Safety.*
- *Material safety data sheet from the manufacturer.*
- *Hazardous Products Regulations (DORS/2015-17).*
- *Canadian Transport of Dangerous Goods.*
- *The Globally Harmonized System of Classification and Labelling of Chemicals (GHS) <http://www.hc-sc.gc.ca/a>*