

## Safety Data Sheet

### FINITEC AD-844 MS

Safety Data Sheet dated: 06/10/2021 - version 5

Date of first edition: 05/16/2017

## 1. Identification

### Product identifier

Mixture identification:

Trade name: FINITEC AD-844 MS

Other means of identification

Trade code: 9019477.FIT

### Recommended use and restrictions on use

Recommended use: Adhesive

Restrictions on use: N.A.

### Supplier's details

Company: Finitec Group

150, Léon-Vachon Street

G0S 2W0 - St-Lambert-de-Lauzon - Quebec - CAN

Phone: 1-888-838-4449

### Emergency phone number

CANUTEC (613) 966-6666

## 2. Hazard identification



### Classification of the product

Skin Sens. 1 May cause an allergic skin reaction.

### Label elements

#### Pictograms and Signal Words



Warning

### Hazard statements

H317 May cause an allergic skin reaction.

### Precautionary statements

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust or mist.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P321 Specific treatment (see supplementary instructions on this label)  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with applicable regulations.

### Other hazards

None

### Ingredient(s) with unknown acute toxicity

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

---

### 3. Composition/information on ingredients

#### Substances

N.A.

#### Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

#### List of components

Qty	Name	Ident. Numb.	Classification	Registration Number
1-2.5 %	silica sand; quartz	CAS:14808-60-7	STOT RE 1, H372; Carc. 1A, H350	
1-2.5 %	vinyltrimethoxysilane; Trimethoxyvinylsilane	CAS:2768-02-7	Flam. Liq. 3, H226; Acute Tox. 4, H332	
0.1-0.25 %	bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate; Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4- piperidinyl) ester	CAS:41556-26-7	Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

The actual concentration of the components listed above is withheld as a trade secret.

---

### 4. First-aid measures

#### Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### Most important symptoms/effects, acute and delayed

N.A.

#### Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

---

### 5. Fire-fighting measures

#### Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media:

None in particular.

#### Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

## Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand  
Retain contaminated washing water and dispose it.

---

## 7. Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Exercise the greatest care when handling or opening the container.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.

---

## 8. Exposure controls/personal protection

### Control parameters

#### Community Occupational Exposure Limits (OEL)

Component	OEL Type	Country	Ceiling	Long Term mg/m <sup>3</sup>	Long Term ppm	Short Term mg/m <sup>3</sup>	Short Term ppm	Behaviour	Notes
silica sand; quartz	ACGIH			0,025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;

### Appropriate engineering controls

N.A.  
**Individual protection measures, such as personal protective equipment (PPE)**

Eye protection:  
Use close fitting safety goggles, don't use eye lens.

Protection for skin:  
Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:  
Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:  
Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .  
Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .  
Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .  
Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .  
Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:  
Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.  
N.A.

---

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state: Liquid  
Appearance and colour: paste Beige  
Odour: Characteristic  
Odour threshold: No data available  
pH: No data available  
Melting point / freezing point: No data available  
Initial boiling point and boiling range: No data available  
Flash point: 100 °C (212 °F)  
Evaporation rate: No data available  
Upper/lower flammability or explosive limits: No data available

Vapour density: No data available  
Vapour pressure: No data available  
Relative density: 1.55 g/cm<sup>3</sup>  
Solubility in water: Insoluble  
Solubility in oil: No data available  
Partition coefficient (n-octanol/water): No data available  
Auto-ignition temperature: No data available  
Decomposition temperature: No data available  
Viscosity: No data available  
Explosive properties: No data available  
Oxidizing properties: No data available  
Solid/gas flammability: No data available

#### Other information

Substance Groups relevant properties No data available  
Miscibility: No data available  
Fat Solubility: No data available  
Conductivity: No data available

---

## 10. Stability and reactivity

### Reactivity

Stable under normal conditions

### Chemical stability

Data not available.

### Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

---

## 11. Toxicological information

### Information on toxicological effects

#### Toxicological Information of the Preparation

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

#### Toxicological information on main components of the mixture:

silica sand; quartz            a) acute toxicity            LD50 Oral Rat = 500 mg/kg

vinyltrimethoxysilane;  
Trimethoxyvinylsilane        a) acute toxicity            LD50 Oral Rat = 7340 µL/kg

bis(1,2,2,6,6-  
pentamethyl-4-piperidyl)  
sebacate; Decanedioic  
acid, bis(1,2,2,6,6-  
pentamethyl-4-  
piperidiny) ester            a) acute toxicity            LD50 Oral Rat = 2615 mg/kg

**If not differently specified, the information required in the regulation and listed below must be considered as N.A.**

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity

h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

i) STOT-repeated exposure

j) aspiration hazard

**Substance(s) listed on the IARC Monographs:**

silica sand; quartz                      Group 1

**Substance(s) listed as OSHA Carcinogen(s):**

silica sand; quartz

**Substance(s) listed as NIOSH Carcinogen(s):**

silica sand; quartz

**Substance(s) listed on the NTP report on Carcinogens:**

silica sand; quartz

**12. Ecological information**

**Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

**List of Eco-Toxicological properties of the components**

Component	Ident. Numb.	Ecotox Data
silica sand; quartz	CAS: 14808-60-7	a) Aquatic acute toxicity : LC50 carp > 10000,00000 mg/L 72h
vinyltrimethoxysilane; Trimethoxyvinylsilane	CAS: 2768-02-7	a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 191 mg/L 96h ECHA
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate; Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4-piperidiny) ester	CAS: 41556-26-7	a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 0,97 mg/L 96h

**Persistence and degradability**

N.A.

**Bioaccumulative potential**

N.A.

**Mobility in soil**

N.A.

**Other adverse effects**

N.A.

**13. Disposal considerations**

**Safe handling and methods for disposal**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

## 14. Transport information

Not classified as dangerous in the meaning of transport regulations.

### UN number

TDG-UN number: N.A.  
ADR-UN number: N.A.  
DOT-UN Number: N.A.  
IATA-Un number: N.A.  
IMDG-Un number: N.A.

### UN proper shipping name

TDG-Shipping Name: N.A.  
ADR-Shipping Name: N.A.  
DOT-Proper Shipping Name: N.A.  
IATA-Technical name: N.A.  
IMDG-Technical name: N.A.

### Transport hazard class(es)

TDG-Class: N.A.  
ADR-Class: N.A.  
DOT-Hazard Class: N.A.  
IATA-Class: N.A.  
IMDG-Class: N.A.

### Packing group

TDG-Packing Group: N.A.  
ADR-Packing Group: N.A.  
DOT Packing Group: N.A.  
IATA-Packing group: N.A.  
IMDG-Packing group: N.A.

### Environmental hazards

Marine pollutant: No  
Environmental Pollutant: N.A.

### Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

### Special precautions in connection with transport or conveyance

TDG:

TDG Special provisions: N/A

Department of Transportation (DOT):

N.A.

Road and Rail (ADR-RID):

N.A.

Air (IATA):

N.A.

Sea (IMDG):

N.A.

---

## 15. Regulatory information

### Canada - Federal regulations

#### DSL - Domestic Substances List

##### DSL (Domestic Substances List)

All the substances are listed in the DSL.

#### NDSL - Non Domestic Substances List

##### NDSL (Non Domestic Substances List)

No substances listed

#### NPRI - National Pollutant Release Inventory

##### NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

### USA - Federal regulations

#### TSCA - Toxic Substances Control Act

##### TSCA inventory:

All the components are listed on the TSCA inventory

##### TSCA listed substances:

silica sand; quartz is listed in TSCA Section 8b  
vinyltrimethoxysilane; is listed in TSCA Section 8b  
Trimethoxyvinylsilane  
  
bis(1,2,2,6,6-pentamethyl-4- is listed in TSCA Section 8b  
piperidyl) sebacate; Decanedioic  
acid, bis(1,2,2,6,6-pentamethyl-4-  
piperidinyl) ester

#### **SARA - Superfund Amendments and Reauthorization Act**

##### **Section 302 - Extremely Hazardous Substances:**

No substances listed

##### **Section 304 - Hazardous substances:**

No substances listed

##### **Section 313 - Toxic chemical list:**

No substances listed

#### **CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act**

##### **Substance(s) listed under CERCLA:**

No substances listed

#### **CAA - Clean Air Act**

##### **CAA listed substances:**

No substances listed

#### **CWA - Clean Water Act**

##### **CWA listed substances:**

No substances listed

#### **USA - State specific regulations**

##### **California Proposition 65**

##### **Substance(s) listed under California Proposition 65:**

silica sand; quartz Listed as carcinogen

##### **Massachusetts Right to know**

##### **Substance(s) listed under Massachusetts Right to know:**

silica sand; quartz

##### **Pennsylvania Right to know**

##### **Substance(s) listed under Pennsylvania Right to know:**

silica sand; quartz

##### **New Jersey Right to know**

##### **Substance(s) listed under New Jersey Right to know:**

silica sand; quartz

---

## **16. Other information**

Safety Data Sheet dated: 6/10/2021 - version 5

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

<b>Code</b>	<b>Description</b>
H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **Legend to abbreviations and acronyms used in the safety data sheet:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
IMDG: International Maritime Code for Dangerous Goods.  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
CLP: Classification, Labeling, Packaging.  
EINECS: European Inventory of Existing Commercial Chemical Substances.  
INCI: International Nomenclature of Cosmetic Ingredients.  
CAS: Chemical Abstracts Service (division of the American Chemical Society).  
GefStoffVO: Ordinance on Hazardous Substances, Germany.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
DNEL: Derived No Effect Level.  
PNEC: Predicted No Effect Concentration.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
WGK: German Water Hazard Class.  
KSt: Explosion coefficient.

**Paragraphs modified from the previous revision:**

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION